



Monitoring ServiceNow

ScienceLogic: ServiceNow Base Pack PowerPack version 101

Table of Contents

Introduction	1
What Does the ServiceNow Base Pack PowerPack Monitor?	2
Installing the ServiceNow Base Pack PowerPack	2
Configuring ServiceNow Base Pack Monitoring	4
Creating a SOAP/XML Credential for ServiceNow	5
Creating a Virtual Device for the ServiceNow Base Pack	7
Aligning the ServiceNow Base Pack Dynamic Applications	8
ServiceNow Base Pack Dashboards	10
ServiceNow Open Incidents Dashboard	11

Introduction

Overview

This manual describes how to monitor ServiceNow in the ScienceLogic platform using the *ServiceNow Base Pack PowerPack*.

The following sections provide an overview of the *ServiceNow Base Pack PowerPack*:

What Does the ServiceNow Base Pack PowerPack Monitor? 2

Installing the ServiceNow Base Pack PowerPack 2

NOTE: ScienceLogic provides this documentation for the convenience of ScienceLogic customers. Some of the configuration information contained herein pertains to third-party vendor software that is subject to change without notice to ScienceLogic. ScienceLogic makes every attempt to maintain accurate technical information and cannot be held responsible for defects or changes in third-party vendor software. There is no written or implied guarantee that information contained herein will work for all third-party variants. See the End User License Agreement (EULA) for more information.

What Does the ServiceNow Base Pack PowerPack Monitor?

To monitor a ServiceNow instance with SL1, you must install the *ServiceNow Base Pack PowerPack*. This PowerPack enables you to model and collect data about ServiceNow Incident and CMDB tables.

The *ServiceNow Base Pack PowerPack* includes:

- The "ServiceNow: CMDB Configuration" Dynamic Application, which provides data for Integration Service systems communicating with ServiceNow
- The "ServiceNow: Incident Metrics" Dynamic Application, which collects information about the types, statuses, and properties of ServiceNow incidents
- A Device Class for ServiceNow instances
- Run Book Policies and a Run Book Action to automate adding, updating, and clearing incidents
- Two sample Credentials: One for connecting to a ServiceNow instance and one for sending event payload information to the Integration Service, which is required for integration with the ServiceNow Incident Management Module
- The "ServiceNow Open Incidents" Dashboard, which displays information about ServiceNow incident statuses and types
- ScienceLogic Libraries that are utilized by this PowerPack:
 - content
 - silo_core
 - silo_core_rest
 - silo_servicenow

Installing the ServiceNow Base Pack PowerPack


Before completing the steps in this manual, you must import and install the latest version of the *ServiceNow Base Pack PowerPack*.

TIP: By default, installing a new version of a PowerPack overwrites all content in that PowerPack that has already been installed on the target system. You can use the **Enable Selective PowerPack Field Protection** setting in the **Behavior Settings** page (System > Settings > Behavior) to prevent new PowerPacks from overwriting local changes for some commonly customized fields. (For more information, see the **System Administration** manual.)

To download and install a PowerPack:

1. Download the PowerPack from the [ScienceLogic Customer Portal](#).
2. Go to the **PowerPack Manager** page (System > Manage > PowerPacks).
3. In the **PowerPack Manager** page, click the **[Actions]** button, then select *Import PowerPack*.

4. The **Import PowerPack** dialog box appears:



5. Click the **[Browse]** button and navigate to the PowerPack file.
6. When the **PowerPack Installer** modal page appears, click the **[Install]** button to install the PowerPack.

NOTE: If you exit the **PowerPack Installer** modal page without installing the imported PowerPack, the imported PowerPack will not appear in the **PowerPack Manager** page. However, the imported PowerPack will appear in the **Imported PowerPacks** modal page. This page appears when you click the **[Actions]** menu and select *Install PowerPack*.

Configuring ServiceNow Base Pack Monitoring

Overview

The following sections describe how to configure ServiceNow for monitoring by SL1 using the *ServiceNow Base Pack PowerPack*:

<i>Creating a SOAP/XML Credential for ServiceNow</i>	5
<i>Creating a Virtual Device for the ServiceNow Base Pack</i>	7
<i>Aligning the ServiceNow Base Pack Dynamic Applications</i>	8

Creating a SOAP/XML Credential for ServiceNow

To configure SL1 to monitor a ServiceNow instance, you must first create at least one SOAP/XML credential to enable the Dynamic Applications in the *ServiceNow Base Pack PowerPack* to communicate with ServiceNow and the Integration Service.

The PowerPack includes two sample credentials:

- **ServiceNow DA - Example.** This credential connects the Dynamic Applications in the *ServiceNow Base Pack PowerPack* to a ServiceNow instance. This credential lets you monitor the CMDB and Incident tables in ServiceNow.
- **ServiceNow RBA - Example.** This credential lets you send event payload data from SL1 to the Integration Service and then to ServiceNow. Use this credential if you want to integrate with the ServiceNow Incident Management Module by aligning it with the “ServiceNow: Add/Update/Clear Incident” Run Book Action.

To configure the **ServiceNow DA - Example** credential:

1. Go to the **Credential Management** page (System > Manage > Credentials).
2. Locate the **ServiceNow DA - Example** credential and then click its wrench icon (🔧). The **Edit SOAP/XML Credential** modal page appears:

The screenshot shows the 'Edit SOAP/XML Credential #90' modal page. It has a blue header with 'New' and 'Reset' buttons. The main content is divided into four sections: 'Basic Settings', 'Soap Options', 'Proxy Settings', and 'CURL Options'. 'Basic Settings' contains fields for Profile Name, Content Encoding, Method, HTTP Version, URL, HTTP Auth User, HTTP Auth Password, and Timeout. 'Soap Options' has an Embedded Password field and four Embed Value fields. 'Proxy Settings' has fields for Hostname/IP, Port, User, and Password. 'CURL Options' has a list of options and a large empty text area. At the bottom, there are 'Save' and 'Save As' buttons.

3. Complete the following fields:

- **Profile Name.** Type a name for the ServiceNow Dynamic Applications credential.
- **Content Encoding.** Select *text/xml*.
- **Method.** Select *GET*.

- **HTTP Version.** Select *HTTP/1.1*.
- **URL.** Type the URL for your ServiceNow system.
- **HTTP Auth User.** Type the ServiceNow administrator username.
- **HTTP Auth Password.** Type the ServiceNow administrator password.
- **Timeout (seconds).** Type "30".

4. Click the **[Save As]** button.


To configure the **ServiceNow RBA - Example** credential:

1. Go to the **Credential Management** page (System > Manage > Credentials).
2. Locate the **ServiceNow RBA - Example** credential and then click its wrench icon (🔧). The **Edit SOAP/XML Credential** modal page appears:

3. Complete the following fields:

- **Profile Name.** Type a name for the ServiceNow Run Book Action credential.
- **Content Encoding.** Select *text/xml*.
- **Method.** Select *POST*.
- **HTTP Version.** Select *HTTP/1.1*.
- **URL.** Type the host name for the Integration Service.
- **HTTP Auth User.** Type the Integration Service administrator username.

- **HTTP Auth Password**. Type the Integration Service administrator password.
 - **Timeout (seconds)**. Type "5".
4. Click the **[Save As]** button.
 5. Next, align this credential with the "ServiceNow: Add/Update/Clear Incident" Run Book Action by navigating to the **Run Book Actions** page (Registry > Run Book > Actions).
 6. Click the wrench icon (🔧) for the "ServiceNow: Add/Update/Clear Incident" Run Book Action. The **Action Editor** modal page appears:



7. In the **Snippet Credential** drop-down list, select the name of the credential you created in steps 1-4.
8. Click **[Save]**.

Creating a Virtual Device for the ServiceNow Base Pack

To monitor ServiceNow, you must create a **virtual device** that represents the root device for ServiceNow. You can use the virtual device to store information gathered by policies or Dynamic Applications.

To create a virtual device that represents your ServiceNow instance:

1. Go to the **Device Manager** page (Registry > Devices > Device Manager).
2. Click the **[Actions]** button and select *Create Virtual Device* from the menu. The **Virtual Device** modal page appears:

The screenshot shows a modal window titled "Virtual Device" with a close button (X) in the top right corner. Inside the modal, there is a sub-header "Create Virtual Device" and a "Reset" button. Below this, there are four input fields: "Device Name" with the text "ServiceNow Instance 1", "Organization" with a dropdown menu showing "System", "Device Class" with a dropdown menu showing "ServiceNow | Instance", and "Collector" with a dropdown menu showing "CUG". At the bottom of the form is an "Add" button.

3. Complete the following fields:
 - **Device Name.** Type a name for the device.
 - **Organization.** Select the organization for this device. The organization you associate with the device limits the users that will be able to view and edit the device. Typically, only members of the organization will be able to view and edit the device.
 - **Device Class.** Select *ServiceNow | Instance*.
 - **Collector.** Select the collector group that will monitor the device.
4. Click the **[Add]** button to create the virtual device.

Aligning the ServiceNow Base Pack Dynamic Applications

Before you can run the Dynamic Applications in the ServiceNow Base Pack, you must manually align each Dynamic Application to the virtual device you created in the previous step. When you align the Dynamic Applications, you should use the ServiceNow credential that you created from the **ServiceNow DA - Example** credential.

To align the ServiceNow Base Pack Dynamic Applications with the ServiceNow virtual device:

1. Go to the **Device Manager** page (Registry > Devices > Device Manager).
2. Click the wrench icon (🔧) for the virtual device you created in the previous section. The **Device Properties** page appears.
3. Click the **[Collections]** tab. The **Dynamic Application Collections** page appears.

4. Click the **[Actions]** button and select *Add Dynamic Application*. The **Dynamic Application Alignment** modal page appears:

The screenshot shows the 'Dynamic Application Alignment' modal page. It features a blue header with the title 'Dynamic Application Alignment' and a 'Reset' button. The main content area is divided into two columns: 'Dynamic Applications' and 'Credentials'. In the 'Dynamic Applications' column, there is a search box containing 'servicenow'. Below it, under the heading 'Snippet Configuration', the item 'ServiceNow: CIMDB Configuration' is selected. Under the heading 'Snippet Performance', the item 'ServiceNow: Incident Metrics' is listed. In the 'Credentials' column, a list of credentials is shown, with 'ServiceNow DA - Docs' selected. At the bottom of the modal, there is a 'Save' button.

5. In the **Dynamic Applications** field, select the first of the ServiceNow Dynamic Applications.
6. In the **Credentials** field, select the credential you created based on the **ServiceNow DA - Example** credential.
7. Click the **[Save]** button.
8. Repeat steps 4-7 for each remaining Dynamic Application.

Chapter

3

ServiceNow Base Pack Dashboards

Overview

The following section describes the system dashboard that is included in the *ServiceNow Base Pack PowerPack*:

ServiceNow Open Incidents Dashboard 11

ServiceNow Open Incidents Dashboard



The ServiceNow Open Incidents system dashboard displays the following information:

- Open incidents by state
- Open incidents by priority
- Unassigned incidents
- High priority incidents
- Critical priority incidents
- Assigned incidents
- Active incidents
- Resolved incidents
- Incidents unassigned or assigned by percentage
- Incidents source by percentage
- Total open incidents

© 2003 - 2018, ScienceLogic, Inc.

All rights reserved.

LIMITATION OF LIABILITY AND GENERAL DISCLAIMER

ALL INFORMATION AVAILABLE IN THIS GUIDE IS PROVIDED "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED. SCIENCELOGIC™ AND ITS SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT.

Although ScienceLogic™ has attempted to provide accurate information on this Site, information on this Site may contain inadvertent technical inaccuracies or typographical errors, and ScienceLogic™ assumes no responsibility for the accuracy of the information. Information may be changed or updated without notice. ScienceLogic™ may also make improvements and / or changes in the products or services described in this Site at any time without notice.

Copyrights and Trademarks

ScienceLogic, the ScienceLogic logo, and EM7 are trademarks of ScienceLogic, Inc. in the United States, other countries, or both.

Below is a list of trademarks and service marks that should be credited to ScienceLogic, Inc. The ® and ™ symbols reflect the trademark registration status in the U.S. Patent and Trademark Office and may not be appropriate for materials to be distributed outside the United States.

- ScienceLogic™
- EM7™ and em7™
- Simplify IT™
- Dynamic Application™
- Relational Infrastructure Management™

The absence of a product or service name, slogan or logo from this list does not constitute a waiver of ScienceLogic's trademark or other intellectual property rights concerning that name, slogan, or logo.

Please note that laws concerning use of trademarks or product names vary by country. Always consult a local attorney for additional guidance.

Other

If any provision of this agreement shall be unlawful, void, or for any reason unenforceable, then that provision shall be deemed severable from this agreement and shall not affect the validity and enforceability of any remaining provisions. This is the entire agreement between the parties relating to the matters contained herein.

In the U.S. and other jurisdictions, trademark owners have a duty to police the use of their marks. Therefore, if you become aware of any improper use of ScienceLogic Trademarks, including infringement or counterfeiting by third parties, report them to Science Logic's legal department immediately. Report as much detail as possible about the misuse, including the name of the party, contact information, and copies or photographs of the potential misuse to: legal@sciencelogic.com



800-SCI-LOGIC (1-800-724-5644)

International: +1-703-354-1010