



Cisco: Intersight PowerPack Release Notes

Version 102

Overview

Version 102 of the "Cisco: Intersight" PowerPack updates several Dynamic Applications and adds support for the OpenAPI schema version 3 (ECDSA) in the credential.

<i>Before You Install or Upgrade</i>	2
<i>Installation and Upgrade Process</i>	2
<i>Features</i>	2
<i>Enhancements and Issues Addressed</i>	3
<i>Known Issues</i>	3

Before You Install or Upgrade

Ensure that you are running version 12.1.2 or later of SL1 before installing the "Cisco: Intersight" PowerPack.

NOTE: For details on upgrading SL1, see the relevant [SL1 Platform Release Notes](#).

Installation and Upgrade Process

NOTE: If you are currently using the Dynamic Applications in this PowerPack to monitor devices, collection errors might occur for one or two polling cycles during the installation of a new version. To prevent collection errors during an upgrade, you can optionally disable collection for monitored devices before performing the following steps and re-enable collection after the upgrade.

To install this PowerPack:

1. Search for and download the PowerPack from the **PowerPacks** page (Product Downloads > PowerPacks & SyncPacks) at the [ScienceLogic Support Site](#).
2. In SL1, go to the **PowerPacks** page (System > Manage > PowerPacks).
3. Click the **Actions** menu and choose *Import PowerPack*. The **Import PowerPack** modal appears.
4. Click **[Browse]** and navigate to the PowerPack file from step 1.
5. Select the PowerPack file and click **[Import]**. The **PowerPack Installer** modal displays a list of the PowerPack contents.
6. Click **[Install]**. The PowerPack is added to the **PowerPack Manager** page.

Features

This release includes the following features:

- Dynamic Applications that discover and collect data from Cisco Intersight
- Device Classes for each type of monitored Cisco Intersight device:
 - Account
 - Blade Servers
 - Chassis
 - Fabric Interconnect
 - Organization
 - RackUnit
- Event Policies and corresponding alerts that are triggered when Cisco Intersight devices meet certain status criteria
- A universal credential type and a guided discovery workflow to discover Cisco Intersight devices

Enhancements and Issues Addressed

The following enhancements and addressed issues are included in this release:

- Updated the PowerPack to support the OpenAPI schema version 3 (ECDSA) in the credential.
- Removed the "Cisco: Intersight Alarms Configuration" Dynamic Application and replaced it with the "Cisco: Intersight Alarms Performance" Dynamic Application for enhanced functionality.
- The snippet code and collection objects of the following Dynamic Applications were updated to support Intersight pagination, to filter the default organization, and to prevent components from switching between organizations. For more information, see [Monitoring Cisco: Intersight](#):
 - Cisco: Intersight Blade Server Discovery
 - Cisco: Intersight Chassis Discovery
 - Cisco: Intersight Fabric Interconnect Discovery
 - Cisco: Intersight Organization Discovery
 - Cisco: Intersight Rack Units Discovery
 - Cisco: Intersight Alarms Performance
- Updated collection object requests to retrieve only the required information in the "Cisco: Intersight Blade Server Configuration" Dynamic Application.

Known Issues

There are no known issues affecting version 102 of the "Cisco: Intersight" PowerPack.

© 2003 - 2025, ScienceLogic, Inc.

All rights reserved.

LIMITATION OF LIABILITY AND GENERAL DISCLAIMER

ALL INFORMATION AVAILABLE IN THIS GUIDE IS PROVIDED "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED. SCIENCELOGIC™ AND ITS SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT.

Although ScienceLogic™ has attempted to provide accurate information on this Site, information on this Site may contain inadvertent technical inaccuracies or typographical errors, and ScienceLogic™ assumes no responsibility for the accuracy of the information. Information may be changed or updated without notice. ScienceLogic™ may also make improvements and / or changes in the products or services described in this Site at any time without notice.

Copyrights and Trademarks

ScienceLogic, the ScienceLogic logo, and EM7 are trademarks of ScienceLogic, Inc. in the United States, other countries, or both.

Below is a list of trademarks and service marks that should be credited to ScienceLogic, Inc. The ® and ™ symbols reflect the trademark registration status in the U.S. Patent and Trademark Office and may not be appropriate for materials to be distributed outside the United States.

- ScienceLogic™
- EM7™ and em7™
- Simplify IT™
- Dynamic Application™
- Relational Infrastructure Management™

The absence of a product or service name, slogan or logo from this list does not constitute a waiver of ScienceLogic's trademark or other intellectual property rights concerning that name, slogan, or logo.

Please note that laws concerning use of trademarks or product names vary by country. Always consult a local attorney for additional guidance.

Other

If any provision of this agreement shall be unlawful, void, or for any reason unenforceable, then that provision shall be deemed severable from this agreement and shall not affect the validity and enforceability of any remaining provisions. This is the entire agreement between the parties relating to the matters contained herein.

In the U.S. and other jurisdictions, trademark owners have a duty to police the use of their marks. Therefore, if you become aware of any improper use of ScienceLogic Trademarks, including infringement or counterfeiting by third parties, report them to Science Logic's legal department immediately. Report as much detail as possible about the misuse, including the name of the party, contact information, and copies or photographs of the potential misuse to: legal@sciencelogic.com. For more information, see <https://sciencelogic.com/company/legal>.



800-SCI-LOGIC (1-800-724-5644)

International: +1-703-354-1010