



Cisco: Video Endpoint PowerPack Release Notes

Version 106

Table of Contents

Overview	3
Before You Install or Upgrade	3
Installing or Upgrading to Cisco: Video Endpoint PowerPack version 106	3
Features	4
Enhancements and Issues Addressed	4
Known Issues	5

Overview

Version 106 of the *Cisco: Video Endpoint PowerPack* includes the addition of new Dynamic Applications, device classes and device icons, and improved alerting.

- **Minimum Required Platform Version:** 8.7.0
- **Support Status:** GA

This document describes:

- [Pre-install or pre-upgrade information](#)
- [The installation and upgrade process for the PowerPack](#)
- [The features included in version 106](#)
- [The enhancements and issues addressed in version 106](#)
- [The known issues that affect version 106](#)

Before You Install or Upgrade

Ensure that you are running version 8.7.0 or later of SL1 before installing the *Cisco: Video Endpoint PowerPack* version 106.

NOTE: For details on upgrading the ScienceLogic platform, see the appropriate ScienceLogic Release Notes.

Installing or Upgrading to Cisco: Video Endpoint PowerPack version 106

To install the *Cisco: Video Endpoint PowerPack* for the first time or to upgrade from a previous version, perform the following steps:

TIP: By default, installing a new version of a PowerPack will overwrite all content in that PowerPack that has already been installed on the target system. You can use the **Enable Selective PowerPack Field Protection** setting in the **Behavior Settings** page (System > Settings > Behavior) to prevent the new version of the PowerPack from overwriting local changes for some commonly customized fields.

NOTE: If you are currently using the Dynamic Applications in the *Cisco: Video Endpoint* PowerPack to monitor devices, collection errors might occur for one or two polling cycles during the installation of a new version. To prevent collection errors during an upgrade, you can optionally disable collection for monitored devices before performing the following steps and re-enable collection after the upgrade.

1. Familiarize yourself with the [Known Issues](#) for this release.
2. See the [Before You Install or Upgrade](#) section. If you have not done so already, upgrade your system to the 8.7.0 or later release.
3. Download version 106 of the *Cisco: Video Endpoint* PowerPack from the Customer Portal to a local computer.
4. Go to the **PowerPack Manager** page (System > Manage > PowerPacks). Click the **[Actions]** menu and choose *Import PowerPack*. When prompted, import version 106 of the *Cisco: Video Endpoint* PowerPack.
5. After importing the PowerPack, you will be prompted to install the PowerPack. Click the **[Install]** button to install the PowerPack.
6. See the manual **Monitoring Video Devices** for instructions on using the new PowerPack.

Features

Cisco: Video Endpoint PowerPack version 106 includes the following features:

- Dynamic Applications that enable the ScienceLogic platform to discover, model, and monitor Cisco video endpoints
- Event Policies that are triggered when Cisco video endpoint component devices meet certain status criteria
- Device Classes for each type of Cisco video endpoint component device monitored
- Sample credentials for discovering Cisco video endpoint component devices
- A device template for manually aligning Dynamic Applications to Cisco video endpoint devices

Enhancements and Issues Addressed

The following enhancements and addressed issues are included in version 106 of the *Cisco: Video Endpoint*PowerPack:

- The "Cisco: Configuration Discovery (CE Series)" and "Cisco: Status Discovery (CE Series)" Dynamic Applications were added to the PowerPack.
- The "Cisco: Video Endpoint Devices Alignment (CE Series)" Run Book Action and the "Cisco: Video Endpoint Configuration Alignment (CE Series)" and "Cisco: Video Endpoint Status Alignment (CE Series)" Run Book Automations were added to the PowerPack.
- The following device classes and icons were added to the PowerPack:

Device Class	Description	Icon
Cisco Systems	Webex Room 55 Dual	webex_board_55.png
Cisco Systems	Webex Room 70 G2 Single	webex_board_70G2S.png
Cisco Systems	Webex Room 70 G2 Dual	webex_board_70G2D.png
Cisco Systems	Webex Room Kit Pro	webex_roomkit_pro.png
Cisco Systems	Webex Room Kit Mini	webroom_roomkit_mini.png
Cisco Systems	Webex Board 55	webex_board_55.png
Cisco Systems	Webex Board 70	webex_board_70.png
Cisco Systems	Webex Board85S	webex_board_85S.png
Cisco Systems	Webex Share	webex_share.png

- The following alerts were updated in the "Cisco: Configuration (Tandberg C Series)" and "Cisco: Configuration (CE Series)" Dynamic Applications to reflect the new "Healthy Interface Speed" threshold:
 - Cisco (Tandberg C Series): Interface Speed now OK
 - Cisco (Tandberg C Series): Interface Speed too slow
 - Cisco: Configuration (CE Series): Interface Speed now OK
 - Cisco: Configuration (CE Series): Interface Speed too slow
- The "Cisco (CE Series): SIP URI is empty" and "Cisco (Tandberg C Series): SIP URI is empty" alerts were added to the "Cisco: Status (CE Series)" and "Cisco: Configuration (Tandberg C Series)" Dynamic Applications, respectively.
- The Run Book Actions in this PowerPack were updated to remove the dependency on an SL1 database credential, which differs between customer environments.
- The "Cisco: Call Quality Statistics (CE Series)" Dynamic Application was updated to use the Call ID collection object to collect the same Call item = value from the XML.
- An issue was addressed in the "Cisco: Remote Management (Tandberg C Series)" Dynamic Application in which some alerts were not firing due to the use of an invalid collection object.
- An issue was addressed in which the "Cisco: Call Detail Records (Tandberg C Series)" and "Cisco: Call Detail Records (Tandberg MXP)" Dynamic Applications were raising ASCII codec exceptions.
- An issue was addressed in which an exception was generated in the "Cisco: Call Detail Records (Tandberg C Series)", "Cisco: Call Detail Records (Tandberg MXP)", and "Cisco: Call Detail Records (CE Series)" Dynamic Applications in System Logs while discovering Non-Tandberg devices.

Known Issues

The following are known issues that affect version 106 of the *Cisco: Video Endpoint PowerPack*. These issues will be addressed in a future release:

- The "Cisco: Audio/Video (Tandberg C Series)" Dynamic Application may not collect HDMI input/output or DVI settings from Tandberg C Series devices with older firmware versions.
- If you are editing an alert in the "Cisco: Configuration (Tandberg C Series)" Dynamic Application, when you click Save, you may see warning messages that include, "uses collection objects from a different group than the current alert formula." The indexes between these groups are the same, so this alert can be ignored.
- If the alert object "Cisco (Tandberg C Series) System name has now been set" in the "Cisco: Configuration (Tandberg C Series)" Dynamic Application contains a single quotation, it will cause a syntax error.
- If you are on SL1 version 8.7.0, alerts may not be triggered due to an issue in which the message "Aborting: required objects did not collect" appears and the alerting evaluation phase ends. This issue has been fixed for versions 8.8.0 and later.
- The "Cisco: Device Discovery (CE Series)" Dynamic Application will not be immediately executed when it is aligned by the "Cisco: Video Endpoint Application Management (CE Series)" run book action. The correct device class will not be assigned to non-SNMP devices until the next time the Dynamic Application polls the device, 24 hours later.

© 2003 - 2019, ScienceLogic, Inc.

All rights reserved.

LIMITATION OF LIABILITY AND GENERAL DISCLAIMER

ALL INFORMATION AVAILABLE IN THIS GUIDE IS PROVIDED "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED. SCIENCELOGIC™ AND ITS SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT.

Although ScienceLogic™ has attempted to provide accurate information on this Site, information on this Site may contain inadvertent technical inaccuracies or typographical errors, and ScienceLogic™ assumes no responsibility for the accuracy of the information. Information may be changed or updated without notice. ScienceLogic™ may also make improvements and / or changes in the products or services described in this Site at any time without notice.

Copyrights and Trademarks

ScienceLogic, the ScienceLogic logo, and EM7 are trademarks of ScienceLogic, Inc. in the United States, other countries, or both.

Below is a list of trademarks and service marks that should be credited to ScienceLogic, Inc. The ® and ™ symbols reflect the trademark registration status in the U.S. Patent and Trademark Office and may not be appropriate for materials to be distributed outside the United States.

- ScienceLogic™
- EM7™ and em7™
- Simplify IT™
- Dynamic Application™
- Relational Infrastructure Management™

The absence of a product or service name, slogan or logo from this list does not constitute a waiver of ScienceLogic's trademark or other intellectual property rights concerning that name, slogan, or logo.

Please note that laws concerning use of trademarks or product names vary by country. Always consult a local attorney for additional guidance.

Other

If any provision of this agreement shall be unlawful, void, or for any reason unenforceable, then that provision shall be deemed severable from this agreement and shall not affect the validity and enforceability of any remaining provisions. This is the entire agreement between the parties relating to the matters contained herein.

In the U.S. and other jurisdictions, trademark owners have a duty to police the use of their marks. Therefore, if you become aware of any improper use of ScienceLogic Trademarks, including infringement or counterfeiting by third parties, report them to Science Logic's legal department immediately. Report as much detail as possible about the misuse, including the name of the party, contact information, and copies or photographs of the potential misuse to: legal@sciencelogic.com



800-SCI-LOGIC (1-800-724-5644)

International: +1-703-354-1010