



Nutanix: Base Pack PowerPack Release Notes

Version 101

Overview

Version 101 of the *Nutanix: Base Pack* PowerPack addresses an issue with the PowerPack's unique identifier.

- **Minimum Required Platform Version:** 8.7.0
- **Support Status:** GA

This document describes:

- [Pre-installation or pre-upgrade information](#)
- [The installation and upgrade process for the PowerPack](#)
- [The features included in version 101](#)
- [The enhancements and issues addressed in version 101](#)
- [The known issues for version 101](#)

Before You Install or Upgrade

Ensure that you are running version 8.7.0 or later of the ScienceLogic platform before installing the *Nutanix: Base Pack* PowerPack version 101.

NOTE: For details on upgrading the ScienceLogic platform, see the appropriate ScienceLogic [Release Notes](#).

Installing or Upgrading Nutanix: Base Pack PowerPack version 101

TIP: By default, installing a new version of a PowerPack will overwrite all content in that PowerPack that has already been installed on the target system. You can use the **Enable Selective PowerPack Field Protection** setting in the **Behavior Settings** page (System > Settings > Behavior) to prevent the new version of the PowerPack from overwriting local changes for some commonly customized fields.

NOTE: If you are currently using the Dynamic Applications in the *Nutanix: Base Pack* PowerPack to monitor devices, collection errors might occur for one or two polling cycles during the installation of a new version. To prevent collection errors during an upgrade, you can optionally disable collection for monitored devices before performing the following steps and re-enable collection after the upgrade.

To install the *Nutanix: Base Pack* PowerPack for the first time, perform the following steps:

1. See the [Before You Install or Upgrade](#) section. If you have not done so already, upgrade your system to the 8.7.0 or later release.
2. Familiarize yourself with the [Known Issues](#) for this release.
3. Download version 101 of the *Nutanix: Base Pack* PowerPack from the Customer Portal to a local computer.
4. Go to the **PowerPack Manager** page (System > Manage > PowerPacks). Click the **[Actions]** menu and choose *Import PowerPack*. When prompted, import version 101 of the *Nutanix: Base Pack* PowerPack.
5. After importing the PowerPack, you will be prompted to install the PowerPack. Click the **[Install]** button to install the PowerPack.
6. See the manual **Monitoring Nutanix** for instructions on using the PowerPack.

Features

Nutanix: Base Pack PowerPack version 101 includes the following features:

- Dynamic Applications that discover and collect configuration and performance data for Nutanix devices
- Event Policies and corresponding alerts that are triggered when Nutanix devices meet certain status criteria
- Device Classes for each type of Nutanix device monitored
- A sample Credential for discovering Nutanix devices
- Dashboards that display information about Nutanix instances and component devices
- A Run Book Action and an Automation policy to assign the proper device class to the root device

Enhancements and Issues Addressed

The following enhancements and addressed issues are included in version 101 of the *Nutanix: Base Pack* PowerPack:

- An issue was addressed in which the unique identifiers generated by the PowerPack were longer than 128 characters, resulting in the IDs being truncated.
- An issue was addressed in which the storage container and storage pool application data in multiple Dynamic Applications did not match the data shown in the Nutanix user interface.
- A number of performance Dynamic Applications in the PowerPack had their data units updated to be a more accurate reflection of the data shown in the Nutanix user interface.

Known Issues

The following known issues affect version 101 of the *Nutanix: Base Pack* PowerPack:

- Dynamic Application auto-alignment may take as long as 30 minutes to complete.
- When upgrading the PowerPack from a version earlier than version 101, duplicate virtual devices may be created in your Dynamic Component Map (DCM) when upgrading the PowerPack. This is due to the change to the unique ID and SL1 recognizing it as a new device.

To remove the old devices from the DCM, set the **Component Vanish Timeout** field (in either the **Global Threshold Settings** page [System > Settings > Thresholds > System], the **Device Thresholds** page for the component device [Registry > Devices > Device Manager > wrench icon > Thresholds], or the **Device Thresholds** page for a device higher in the component tree) on the DCM tree so that the old virtual devices get moved out of the DCM and only the newly discovered devices remain.

If you do not need to retain the old devices for historical data purposes, then the **Component Purge Timeout** field (in either the **Global Threshold Settings** page [System > Settings > Thresholds], the **Device Thresholds** page for the component device [Registry > Devices > Device Manager > wrench icon > Thresholds], or the **Device Thresholds** page for a device higher in the component tree) can be used to eventually remove those devices completely from the system.

© 2003 - 2019, ScienceLogic, Inc.

All rights reserved.

LIMITATION OF LIABILITY AND GENERAL DISCLAIMER

ALL INFORMATION AVAILABLE IN THIS GUIDE IS PROVIDED "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED. SCIENCELOGIC™ AND ITS SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT.

Although ScienceLogic™ has attempted to provide accurate information on this Site, information on this Site may contain inadvertent technical inaccuracies or typographical errors, and ScienceLogic™ assumes no responsibility for the accuracy of the information. Information may be changed or updated without notice. ScienceLogic™ may also make improvements and / or changes in the products or services described in this Site at any time without notice.

Copyrights and Trademarks

ScienceLogic, the ScienceLogic logo, and EM7 are trademarks of ScienceLogic, Inc. in the United States, other countries, or both.

Below is a list of trademarks and service marks that should be credited to ScienceLogic, Inc. The ® and ™ symbols reflect the trademark registration status in the U.S. Patent and Trademark Office and may not be appropriate for materials to be distributed outside the United States.

- ScienceLogic™
- EM7™ and em7™
- Simplify IT™
- Dynamic Application™
- Relational Infrastructure Management™

The absence of a product or service name, slogan or logo from this list does not constitute a waiver of ScienceLogic's trademark or other intellectual property rights concerning that name, slogan, or logo.

Please note that laws concerning use of trademarks or product names vary by country. Always consult a local attorney for additional guidance.

Other

If any provision of this agreement shall be unlawful, void, or for any reason unenforceable, then that provision shall be deemed severable from this agreement and shall not affect the validity and enforceability of any remaining provisions. This is the entire agreement between the parties relating to the matters contained herein.

In the U.S. and other jurisdictions, trademark owners have a duty to police the use of their marks. Therefore, if you become aware of any improper use of ScienceLogic Trademarks, including infringement or counterfeiting by third parties, report them to Science Logic's legal department immediately. Report as much detail as possible about the misuse, including the name of the party, contact information, and copies or photographs of the potential misuse to: legal@sciencelogic.com



800-SCI-LOGIC (1-800-724-5644)

International: +1-703-354-1010