



---

# ServiceNow Events SyncPack

Release Notes Version 1.3.0

---

## Overview

The "ServiceNow Events" SyncPack contains a set of Skylar Automation applications, steps, and other utilities that you can use with the ServiceNow Events Module. This SyncPack provides a bi-directional sync of Skylar One Events with ServiceNow Alerts, including event creation, acknowledgment, and resolution.

This SyncPack uses the "ServiceNow Base Pack" PowerPack.

Version 1.3.0 of the SyncPack adds the ***enable\_expanded\_references*** toggle to the "Update Skylar One Event from ServiceNow Trigger" and the "Sync Alert Details From ServiceNow to Skylar One Events" applications. This option lets you link multiple ServiceNow tickets to one event in Skylar One.

**WARNING:** You should not use the "ServiceNow Events" SyncPack and the "ServiceNow Incidents" SyncPack on the same Skylar Automation system. Also, do not use the "ServiceNow Cases" and "ServiceNow Events" SyncPacks on the same Skylar Automation system.

This chapter covers the following topics:

|                                                                                              |   |
|----------------------------------------------------------------------------------------------|---|
| <i>Features Included in this Release</i> .....                                               | 3 |
| <i>Known Issues</i> .....                                                                    | 3 |
| <i>System Requirements</i> .....                                                             | 3 |
| <i>Prerequisites for the SyncPack</i> .....                                                  | 4 |
| <i>Installing or Upgrading the SyncPack</i> .....                                            | 4 |
| <i>Installing the "ScienceLogic SL 1: Event Integration" Application in ServiceNow</i> ..... | 6 |
| <i>Installing the ServiceNow Base Pack PowerPack in Skylar One</i> .....                     | 8 |

---

## Features Included in this Release

This release of the SyncPack includes the following features:

- Added the ***enable\_expanded\_references*** toggle to the "Update Skylar One Event from ServiceNow Trigger" application. When you enable this toggle, you can link multiple ServiceNow tickets to a single event in Skylar One.
- Added the ***enable\_expanded\_references*** toggle to the "Sync Alert Details From ServiceNow to Skylar One Events" application. When you enable this toggle, you can link multiple ServiceNow tickets to a single event in Skylar One by synchronizing parent alert and task IDs to the ***external\_ticket2*** and ***external\_ticket3*** fields.

**TIP:** To view the latest manuals for the Skylar Automation Platform, see the [Skylar Automation](#) page. To view the latest release notes for Skylar Automation, see [Skylar Automation Release Notes](#).

---

## Known Issues

The "ServiceNow Events" SyncPack does not contain any known issues.

---

## System Requirements

The "ServiceNow Events" SyncPack requires:

- SL1 Skylar Automation platform version: 3.0.0 or later.
- Skylar One version: 12.3.x or later. For details on upgrading Skylar One, see the relevant [SL 1 Platform Release Notes](#).
- "Base Steps" SyncPack version 1.6.0 or later.
- "ServiceNow Base" SyncPack version: 4.2.0 or later.
- "ServiceNow Base Pack" PowerPack version: 107 or later. You can download the PowerPack from the [PowerPacks page](#).
- ServiceNow version: Tokyo or later with Web Services enabled.
- "ScienceLogic SL1: Event Integration" application version: 1.0.6.

**IMPORTANT:** You should always use the most recent version of a SyncPack and its certified application.

The following table lists the port access required by Skylar Automation for this SyncPack:

| Source IP         | Skylar Automation Destination | Skylar Automation Source Port | Destination Port | Requirement           |
|-------------------|-------------------------------|-------------------------------|------------------|-----------------------|
| Skylar Automation | Skylar One API                | Any                           | TCP 443          | Skylar One API Access |
| Skylar Automation | ServiceNow API                | Any                           | TCP 443          | ServiceNow API Access |

---

## Prerequisites for the SyncPack

To install this SyncPack, you must have administrator access to both Skylar One and ServiceNow. Specifically, you will need:

- ScienceLogic administrator access to the Administration Portal
- ServiceNow administrator access

**NOTE:** ScienceLogic highly recommends that you disable all firewall session-limiting policies. Firewalls will drop HTTPS requests, which results in data loss.

---

## Installing or Upgrading the SyncPack

**WARNING:** If you are *upgrading* to this version of the SyncPack from a previous version, make a note of any settings you made on the various applications in this SyncPack, as these settings are *not* retained when you upgrade.

**NOTE:** If you are installing the SyncPack in an offline deployment, see [Installing in an Offline Environment](#).

A SyncPack file has the **.whl** file extension type. You can download the SyncPack file from the ScienceLogic Support Center.

To locate and download the SyncPack:

1. Go to the ScienceLogic Support Center at <https://support.sciencelogic.com/s/>.
2. Click the **[Skylar Automation]** tab and select *SyncPacks*.
3. In the **Search** field, type the name of this SyncPack and select it from the search results. The **Release Version** page appears.

4. On the **[Files]** tab, click the down arrow next to the SyncPack version that you want to install, and select *Show File Details*. The **Release File Details** page appears.
5. Click the **[Download File]** button to download the SyncPack.

After you download a SyncPack, you can import it to the Skylar Automation (formerly PowerFlow) platform using the Skylar Automation user interface.

To import a SyncPack in the Skylar Automation user interface:

1. On the **SyncPacks** page, click **[Import SyncPack]**. The **Import SyncPack** page appears.
2. Click **[Browse]** and select the **.whl** file for the SyncPack you want to install. You can also drag and drop a **.whl** file to the **Import SyncPack** page.
3. Click **[Import]**. Skylar Automation registers and uploads the SyncPack. The SyncPack is added to the **SyncPacks** page.

**NOTE:** You cannot edit the content package in a SyncPack published by ScienceLogic. You must make a copy of a ScienceLogic SyncPack and save your changes to the new SyncPack to prevent overwriting any information in the original SyncPack when upgrading.

To activate and install a SyncPack in the Skylar Automation user interface:

1. On the **SyncPacks** page, click the **[Actions]** button (⋮) for the SyncPack you want to install and select *Activate & Install*. The **Activate & Install SyncPack** modal appears.

**NOTE:** If you try to activate and install a SyncPack that is already activated and installed, you can choose to "force" installation across all the nodes in the Skylar Automation system.

**TIP:** If you do not see the SyncPack that you want to install, click the Filter icon (≡) on the **SyncPacks** page and select *Toggle Inactive SyncPacks* to see a list of the imported SyncPacks.

2. Click **[Yes]** to confirm the activation and installation. When the SyncPack is activated, the **SyncPacks** page displays a green check mark icon for that SyncPack. If the activation or installation failed, then a red exclamation mark icon appears.
3. For more information about the activation and installation process, click the check mark icon or the exclamation mark icon in the **Activated** column for that SyncPack. For a successful installation, the "Activate & Install SyncPack" Skylar Automation application appears, and you can view the Step Log for the steps. For a failed installation, the **Error Logs** window appears.
4. If you have other versions of the same SyncPack on your Skylar Automation system, you can click the **[Actions]** button (⋮) for that SyncPack and select *Change active version* to activate a different version other than the version that is currently running.

## Installing in an Offline Deployment

Use the following procedure if you are installing or upgrading to version 1.3.0 of this SyncPack in an offline deployment.

This release of the SyncPack requires the following external files for an offline deployment:

- **Jinja2-2.11.1-py2.py3-none-any.whl**, available at [this location](#) at pypi.org.
- **MarkupSafe-1.1.1-cp37-cp37m-manylinux1\_x86\_64.whl**, available at [this location](#) at pypi.org.

To upload the required external files:

1. After downloading the two required external files, SCP the files to the master node.
2. Run the following commands on the host:

```
devpi use 'https://<is_username>:<is_password>@<is_hostip>:3141/isadmin/dependencies'
```

```
devpi login <is_username> --password=<is_password>
```

```
cd /tmp/
```

```
devpi upload Jinja2-2.11.1-py2.py3-none-any.whl
```

```
devpi upload MarkupSafe-1.1.1-cp37-cp37m-manylinux1_x86_64.whl -force
```

**NOTE:** If you cannot run these commands on the host, you can instead run them on the pypiserver container.

3. Perform a docker copy to both files (if you are running commands in the pypiserver container):

```
docker cp <file1-location> $(docker ps -q -f name=iservices_pypiserver) :/tmp
```

```
docker cp <file2-location> $(docker ps -q -f name=iservices_pypiserver) :/tmp
```

4. Follow the steps in [Installing or Upgrading the SyncPack](#) to install and activate this SyncPack.

---

## Installing the "ScienceLogic SL1: Event Integration" Application in ServiceNow

You must install the "ScienceLogic SL1: Event Integration" application on the ServiceNow instance to enable this SyncPack. This application is also called the "certified" or "scoped" application.

## Contents of the Application

This release of the "ServiceNow Events " SyncPack requires version 1.0.4 of the "ScienceLogic SL1: Event Integration" application. Version 1.0.4 includes the following updates:

- Added the ability to sync SL1 events with ServiceNow events using a MID server.
- Added the ability to sync SL1 events with ServiceNow events without using a MID server.

## Installing the Application

You must first request the "ScienceLogic SL1: Event Integration" application from the ServiceNow Store, and then you can install it.

**WARNING:** The "ScienceLogic SL1: Event Integration" application requires that you have already installed the ServiceNow Event Management plugin on the target ServiceNow instance. You can request this plugin directly from ServiceNow. Also, the MID Server must be configured before you can install this application. For more information, see the *ServiceNow Events SyncPack* manual.

**NOTE:** You must have a ServiceNow HI Service Account to request this application and download it onto your ServiceNow instance.

To request and install the "ScienceLogic SL1: Event Integration" application:

1. Go to the ServiceNow Store at <https://store.servicenow.com> and search for "ScienceLogic SL1".
2. Select the "ScienceLogic SL1: Event Integration" application. The detail page for the application appears.
3. Click **Get** and log in with your HI credentials.
4. After the request is approved, log in to ServiceNow as an administrator and navigate to **Application Manager** (System Applications > Applications).
5. Click **Downloads** in the menu header or search for "ScienceLogic".
6. Click the version drop-down for the "ScienceLogic SL1: Event Integration" application listing to make sure you are using the correct version of the application that is compatible with your version of the *ServiceNow Events SyncPack*.
7. Click **Install** for the "ScienceLogic SL1: Event Integration" application. The installation is complete when the button changes to **Installed**.
8. In the filter navigator, search for "ScienceLogic" and locate the application in the navigation menu in the left pane. You might need to log out of ServiceNow and log in again to see the updated left-hand navigation menu.

For more information about configuring the "ScienceLogic SL1: Event Integration" Application in ServiceNow and enabling Event Sync, see the *ServiceNow Events SyncPack* manual.

---

# Installing the ServiceNow Base Pack PowerPack in Skylar One

The "ServiceNow Base Pack" PowerPack contains run book automations that you use to integrate with the ServiceNow Events module.

**TIP:** By default, installing a new version of a PowerPack will overwrite all content in that PowerPack that has already been installed on the target system. You can use the ***Enable Selective PowerPack Field Protection*** setting in the **Behavior Settings** page (System > Settings > Behavior) in Skylar One to prevent the new version of the PowerPack from overwriting local changes for some commonly customized fields.

To install the latest "ServiceNow Base Pack" PowerPack in Skylar One:

1. Search for and download the PowerPack from the **PowerPacks** page at the [ScienceLogic Support Center](#) (Skylar One > PowerPacks).
2. In Skylar One (formerly SL1), go to the **PowerPacks** page (System > Manage > PowerPacks).
3. Click the **Actions** menu and choose *Import PowerPack*. The **Import PowerPack** modal appears.
4. Click **[Browse]** and navigate to the PowerPack file from step 1.
5. Select the PowerPack file and click **[Import]**. The **PowerPack Installer** modal displays a list of the PowerPack contents.
6. Click **[Install]**. The PowerPack is added to the **PowerPack Manager** page.

© 2003 - 2025, ScienceLogic, Inc.

All rights reserved.

ScienceLogic™, the ScienceLogic logo, and ScienceLogic's product and service names are trademarks or service marks of ScienceLogic, Inc. and its affiliates. Use of ScienceLogic's trademarks or service marks without permission is prohibited.

ALL INFORMATION AVAILABLE IN THIS GUIDE IS PROVIDED "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED. SCIENCELOGIC™ AND ITS SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT.

Although ScienceLogic™ has attempted to provide accurate information herein, the information provided in this document may contain inadvertent technical inaccuracies or typographical errors, and ScienceLogic™ assumes no responsibility for the accuracy of the information. Information may be changed or updated without notice. ScienceLogic™ may also make improvements and / or changes in the products or services described herein at any time without notice.

### Copyrights and Trademarks

ScienceLogic, the ScienceLogic logo, and EM7 are trademarks of ScienceLogic, Inc. in the United States, other countries, or both.

Below is a list of trademarks and service marks that should be credited to ScienceLogic, Inc. The ® and ™ symbols reflect the trademark registration status in the U.S. Patent and Trademark Office and may not be appropriate for materials to be distributed outside the United States.

- ScienceLogic™
- EM7™ and em7™
- Simplify IT™
- Dynamic Application™
- Relational Infrastructure Management™

The absence of a product or service name, slogan or logo from this list does not constitute a waiver of ScienceLogic's trademark or other intellectual property rights concerning that name, slogan, or logo.

Please note that laws concerning use of trademarks or product names vary by country. Always consult a local attorney for additional guidance.

### Other

If any provision of this agreement shall be unlawful, void, or for any reason unenforceable, then that provision shall be deemed severable from this agreement and shall not affect the validity and enforceability of any remaining provisions. This is the entire agreement between the parties relating to the matters contained herein.

In the U.S. and other jurisdictions, trademark owners have a duty to police the use of their marks. Therefore, if you become aware of any improper use of ScienceLogic Trademarks, including infringement or counterfeiting by third parties, report them to Science Logic's legal department immediately. Report as much detail as possible about the misuse, including the name of the party, contact information, and copies or photographs of the potential misuse to: [legal@sciencelogic.com](mailto:legal@sciencelogic.com). For more information, see <https://sciencelogic.com/company/legal>.



800-SCI-LOGIC (1-800-724-5644)

International: +1-703-354-1010